

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S140	191	709/201,227,228,230.ccls. and (@ad<"20010515" @rlad<"20010515") and (@pd>"20061219")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 21:26
S161	1	S160 and rebroadcast\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 21:35
S160	40	(US-20050018697-\$ or US-20020188656-\$).did. or (US-6665536-\$ or US-5655219-\$ or US-6917985-\$ or US-7039687-\$ or US-7035206-\$ or US-7027411-\$ or US-6005530-\$ or US-6035333-\$ or US-6393380-\$ or US-5345244-\$ or US-6600726-\$ or US-5513184-\$ or US-5768267-\$ or US-5819036-\$ or US-6011487-\$ or US-5475835-\$ or US-5960344-\$ or US-5930728-\$ or US-5551060-\$ or US-7085854-\$ or US-6701344-\$ or US-5046130-\$ or US-7158486-\$ or US-5734645-\$ or US-6560205-\$ or US-5978214-\$). did. or (US-5751702-\$ or US-5742905-\$ or US-6658010-\$ or US-7020835-\$ or US-7006464-\$ or US-7096261-\$ or US-5726976-\$ or US-6493804-\$ or US-6697855-\$). did. or (WO-9809450-\$ or WO-9941649-\$).did. or (US-20060246911-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2007/11/25 21:35
S159	1	"20020188656".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 21:35
S157	138	709/201,227,228,230.ccls. and (@ad<"20010515" @rlad<"20010515") and (@pd>"20070611")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 21:35
S164	0	S162 and rebroadcast\$4 same secur\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 21:36
S163	34	S162 and rebroadcast\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 21:36

## EAST Search History

S16 6	19	"709".clas. and rebroadcast\$4 same range	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 21:39
S16 5	12	S162 and rebroadcast\$4 and secur\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 21:39
S16 8	1	S167 and secur\$7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 21:54
S16 7	2	"5960344".pn. "7085854".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 21:54
S15 8	1	"5960344".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 21:54
S33	1606	((point-to-point) (point adj to adj point)) same shared	US-PGPUB; USPAT; EPO	OR	OFF	2007/11/25 22:25
S16 9	1122	((((point-to-point) (point adj to adj point)) same shared) and (@ad<"20010515" @rlad<"20010515"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 22:26
S17 1	75	((((point-to-point) (point adj to adj point)) same shared) same broadcast\$7 with network and (@ad<"20010515" @rlad<"20010515"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 22:27
S16 2	5805	709/201,227,228,230.ccls. and (@ad<"20010515" @rlad<"20010515"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 22:27
S17 4	2	S169 and S173	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 22:28
S17 3	138	709/201,227,228,230.ccls. and (@ad<"20010515" @rlad<"20010515") and @pd>"20070611"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 22:28

## EAST Search History

S17 6	29	((point-to-point) (point adj to adj point)) with shared) same broadcast\$7 with network and (@ad<"20010515" @rlad<"20010515") and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 22:29
S17 5	7	((point-to-point) (point adj to adj point)) with shared) same broadcast\$7 with network and (@ad<"20010515" @rlad<"20010515") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 22:29
S17 2	42	((point-to-point) (point adj to adj point)) with shared) same broadcast\$7 with network and (@ad<"20010515" @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 22:29
S17 7	3	((point-to-point) (point adj to adj point)) same shared) same repeat\$4 same broadcast\$7 and (@ad<"20010515" @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 22:30
S17 0	168	((point-to-point) (point adj to adj point)) same shared) same broadcast\$7 and (@ad<"20010515" @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/25 22:30
S17 8	10	config\$8 with (device peripheral printer) with different near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515") and @pd>"20070611"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 22:31
S74	413	config\$8 with (device peripheral printer) with different near3 (medium path channel) and (@ad<"20010515" or @rlad<"20010515")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/11/25 22:31